

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBA5X7106LFH95808
Modellbetegnelse	3' G20 Saloon
Produksjonsdato	16.10.2019
Farge	PORTIMAO BLAU METALLIC (C31)
Betegnelse	ALCAN.-/SEN.-KOMB./SCHW.KONTR.BLAU (KGNL)
Markedspesifikk salgsbetegnelse	330e iPerformance Sedan
Drift	RWD
Typenøkkel	5X71
Modell	330e
Modell	3 G20
Karosseri	Saloon
Styring	L
Dører	4
Motorkode	XB1141O1
Slagvolum	0,00
Ytelse	215

Serieutrustning

	Tekst
S1CXA	Xtraboost
S548A	Kilometre speedo
S8EKA	Dummy-SALAPA

Særutrustninger

	Tekst
S1CBA	CO2 equipment
S1DEA	Exhaust emission standards EU6 RDE
S1PPA	19" light-all.wheel dbl.spk.791M em.op.
S230A	Extra package, EU-speciifc
S248A	Steering wheel heater
S258A	Tyres with runflat properties

	Tekst
S2NHA	M Sport brake
S2PAA	Locking wheel bolt
S2TBA	Sport automatic gearbox
S2VBA	Tyre pressure display
S302A	Alarm system
S3DZA	Omission of additional lettering, outer
S420A	Sun protection glazing
S428A	Warning triangle and first aid kit
S431A	Interior mirror with automatic-dip
S465A	Through-loading system
S481A	Sports seat
S493A	Storage compartment package
S494A	Seat heating driver/passenger
S4KLA	Interior trim finisher alum.mesh effect
S4NEA	Blow-by heater
S4U9A	Acoustic pedestrian protection
S4URA	Ambient interior light
S534A	Automatic air conditioning
S544A	Cruise control with brake function
S5A1A	LED Fog lights
S5A4A	LED headlight with extended scopes
S5ACA	High-beam assistant
S5AQA	Active guard plus
S5DAA	Passenger airbag deactivation
S5DCA	Rear-seat headrests, folding
S5DMA	Parking assistance system
S654A	DAB tuner
S676A	HiFi speaker system
S6AEA	Teleservices
S6AFA	Statutory emergency call
S6AGA	eDrive services
S6AKA	Connected Drive Services
S6C3A	Connected Package Professional
S6NWA	Telephony with wireless charging
S6U3A	BMW Live operating area Professional
S6UHA	Traffic Information
S6WDA	WLAN Hotspot
S710A	M leather steering wheel
S715A	M Aerodynamics package
S760A	High gloss shadow line
S775A	Headlining anthracite
P7LFA	Modell M Sport
S7M9A	M Shadow Line with expanded scope
S842A	Cold-climate version
S850A	Dummy-SALAPA
S8A7A	Language version Norwegian

	Tekst
S8AWA	On-board literature, Norwegian
S8KAA	Oil service interval 24 mths / 30,000 km
S8R9A	Refrigerant R1234yf
S8SMA	Car ident. number visible from outside
S8TFA	Active pedestrian protection
S8TGA	Thiefproofing device
S993A	model year code in VIN
S9AAA	Outer skin protection

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	5X71	
Motor	B48X	5,75
Gir	GA8 P75HZ	8,70
Brems		1,00
Bakaksel		0,80
Påfyllingsmengde for kjølemiddel med klimaanlegg		9,80
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

China: Coolant quantity NT 4.2l, rear axle drive, automatic transmission: lifetime filling

Bruk / område	Type	ltr
Typenøkkel	5X71	
Motor	B48X	5,75
Gir	GA8P 75HZ	8,70
Brems		1,00
Bakaksel		0,80
Påfyllingsmengde for kjølemiddel med klimaanlegg		9,80
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

EU28+ : Coolant quantity NT 4,2l, rear axle gearbox, automatic gearbox: lifetime filling

Bruk / område	Type	ltr
Typenøkkel	5X71	
Motor	B48X	5,25
Gir	GA8P75HZ	8,70
Brems		1,00
Bakaksel		0,80
Påfyllingsmengde for kjølemiddel med klimaanlegg		9,80
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

RoW: Coolant quantity NT 4.2l, rear axle gearbox, automatic gearbox: lifetime filling