

## Kjøretøy-ID



## Kjøretøydata

| Egenskap         | Kjøretøydata                          |
|------------------|---------------------------------------|
| Chassisnummer    | WMWLR9107G2B32886                     |
| Modellbetegnelse | MINI Clubman F54                      |
| Produksjonsdato  | 24.08.2015                            |
| Farge            | BLAZING RED II METALLIC (B83)         |
| Betegnelse       | STOFF-/LEDER-CORD/CARBON BLACK (CXE1) |
| Drift            | FWD                                   |
| Typenøkkel       | LR91                                  |
| Modell           | Cooper D                              |
| Modell           | MI F54                                |
| Karosseri        | Clubman                               |
| Styring          | L                                     |
| Dører            | 5                                     |
| Motorkode        | B47C20U0                              |
| Slagvolum        | 2,00                                  |
| Ytelse           | 110                                   |

## Serieutrustning

|       | Tekst            |
|-------|------------------|
| S548A | Kilometre speedo |
| S5AAA | Rear fog light   |

## Særutrustninger

|       | Tekst                           |
|-------|---------------------------------|
| S1CBA | CO2 equipment                   |
| S205A | Automatic transmission          |
| S230A | Extra package, EU-speciifc      |
| S235A | Towing hitch, detachable        |
| S249A | Multifunction f steering wheel  |
| S255A | Sports leather steering wheel   |
| S2HUA | MINI LA wheel Vent Spoke silver |
| S2PAA | Locking wheel bolt              |

|       | Tekst                                    |
|-------|------------------------------------------|
| S2VBA | Tyre pressure display                    |
| S322A | Comfort access                           |
| S383A | Roof and mirror caps, black              |
| S402A | Panorama glass roof                      |
| S423A | Floor mats velours                       |
| S428A | Warning triangle and first aid kit       |
| S450A | Height adjustment, passenger seat        |
| S470A | Isofix-System                            |
| S473A | Armrest front                            |
| S481A | Sports seat                              |
| S493A | Storage compartment package              |
| S494A | Seat heating driver/passenger            |
| S4BDA | Interior surface Piano Black             |
| S4V9A | MINI Excitement package                  |
| S4VAA | MINI Driving Modes                       |
| S508A | Park Distance Control (PDC)              |
| S521A | Rain sensor                              |
| S534A | Automatic air conditioning               |
| S544A | Cruise control with brake function       |
| S550A | On-board computer                        |
| S563A | Light package                            |
| S5A1A | LED Fog lights                           |
| S5A2A | LED headlight                            |
| S5AVA | Active Guard                             |
| S5DPA | Park Assist                              |
| S609A | Navigation system Professional           |
| S654A | DAB tuner                                |
| S6NEA | Extend. mob. phone preparation Bluetooth |
| S6NMA | MINI Connected                           |
| S6NTA | MINI Connected XL                        |
| S785A | White direction indicator lights         |
| P7L5A | Wired                                    |
| P7Y2A | Chili II                                 |
| S842A | Cold-climate version                     |
| S850A | Dummy-SALAPA                             |
| S8A7A | Language version Norwegian               |
| S8AWA | On-board literature, Norwegian           |
| S8KAA | Oil service interval 24 mths / 30,000 km |
| S8SMA | Car ident. number visible from outside   |
| S8TGA | Thiefproofing device                     |
| S993A | model year code in VIN                   |
| S999A | Job control "HEA"                        |
| S9AAA | Outer skin protection                    |

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

| Bruk / område                                     | Type     | ltr  |
|---------------------------------------------------|----------|------|
| Typenøkkel                                        | LR91     |      |
| Motor                                             | B47      | 5,00 |
| Gir                                               | GA8F22AW | 7,00 |
| Brems                                             |          | 1,00 |
| Bakaksel                                          |          | 0,00 |
| Påfyllingsmengde for kjølemiddel med klimaanlegg  |          | 7,00 |
| Påfyllingsmengde for kjølemiddel uten klimaanlegg |          | 0,00 |

Automatic transmission: lifetime oil filing

| Bruk / område                                     | Type     | ltr  |
|---------------------------------------------------|----------|------|
| Typenøkkel                                        | LR91     |      |
| Motor                                             | B47      | 5,00 |
| Gir                                               | GS6-60DA | 2,20 |
| Brems                                             |          | 1,00 |
| Bakaksel                                          |          | 0,00 |
| Påfyllingsmengde for kjølemiddel med klimaanlegg  |          | 7,00 |
| Påfyllingsmengde for kjølemiddel uten klimaanlegg |          | 0,00 |

Manual transmission: lifetime oil filing