Kjøretøy-ID

Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBAVP71050VW35210
Modellbetegnelse	X1 E84
Produksjonsdato	09.12.2013
Farge	BLACK SAPPHIRE METALLIC (475)
Betegnelse	LEDER NEVADA/TERRA/KEDER GRAU-PETRO (LUTW)
Drift	AWD
Typenøkkel	VP71
Modell	X1 xDrive18d
Modell	X1 E84
Karosseri	SAV
Styring	L
Dører	5
Motorkode	N47D20U1
Slagvolum	2,00
Ytelse	105

Serieutrustning

	Tekst
S1CBA	CO2 equipment
S1CCA	Auto start/stop function
S1CDA	Brake Energy Regeneration
S520A	Fog lights
S548A	Kilometre speedo

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S205A	Automatic transmission
S216A	Hydro steering-servotronic
S230A	Extra package, EU-speciifc
S235A	Towing hitch, detachable

	Tekst
S249A	Multifunction f steering wheel
S255A	Sports leather steering wheel
S258A	Tyres with runflat properties
S2PAA	Locking wheel bolt
S2S7A	BMW LA wheel star spoke 317
S3ATA	Roof rails aluminium satinated
S402A	Panorama glass roof
S420A	Sun protection glazing
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S430A	Interior/outside mirror with auto dip
S431A	Interior mirror with automatic-dip
S481A	Sports seat
S494A	Seat heating driver/passenger
S4AEA	Armrest front, retractable
S4L3A	Interior trim finishers, Dark Copper
S4U2A	Driving experience switch incl. ECO PRO
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S521A	Rain sensor
S522A	Xenon Light
S524A	Adaptive Headlights
S534A	Automatic air conditioning
S544A	Cruise control with brake function
S563A	Light package
S5ACA	High-beam assistant
S5DAA	Passenger airbag deactivation
S609A	Navigation system Professional
S620A	Voice control
S654A	DAB tuner
S698A	Area-Code 2 for DVD
S6ACA	Intelligent emergency call
S6AEA	Teleservices
S6AKA	Connected Drive Services
S6APA	Remote Services
S6NRA	Apps
S6NSA	Comfort telephony w/ enhanced Smartphone
S6UHA	Traffic Information
S775A	Headlining anthracite
P7HWA	X Line
S842A	Cold-climate version
S843A	Power reduction
S850A	Dummy-SALAPA
S853A	Language version, English
S885A	On-board literature, Swedish
S8KAA	Oil service interval 24 mths / 30,000 km

	Tekst
S8SMA	Car ident. number visible from outside
S8SPA	Control unit COP
S8TGA	Thiefproofing device
S8TKA	Passive pedestrian protection
S8TNA	Daytime driv.lights adjus.via light menu
S8V1A	Information plate

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	VP71	
Motor	N47N	5,20
Gir	GA6HP-19Z	9,50
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		7,50
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,44 l), final drive (front axel) (0,6 l), Final drive (rear axel), Automatic transmission: lifetime oil filing

Bruk / område	Type	ltr
Typenøkkel	VP71	
Motor	N47N	5,20
Gir	GS6X-37DZ	1,60
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		7,20
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,44 l), final drive (front axel) (0,6 l), Final drive (rear axel), manual transmission: lifetime oil filing