Kjøretøy-ID

Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBA5P9800M8B59831
Modellbetegnelse	3' G20 Saloon
Produksjonsdato	24.09.2020
Farge	MINERALGRAU METALLIC (B39)
Betegnelse	ALCAN.-/SEN.-KOMB./SCHW.KONTR.BLAU (KGNL)
Markedspesifikk salgsbetegnelse	330e xDrive Sedan
Drift	AWD
Typenøkkel	5P98
Modell	330e xDrive
Modell	3 G20
Karosseri	Saloon
Styring	L
Dører	4
Motorkode	XB1141M1
Slagvolum	0,00
Ytelse	215

Serieutrustning

	Tekst
S1CXA	Xtraboost
S1DFA	Exhaust emission standards EU6 rde II
S548A	Kilometre speedo
S8EKA	Dummy-SALAPA

Særutrustninger

	Tekst
S1CBA	CO2 equipment
S1REA	BMW light-all.wheel dbl.sp.790M OG/GG/MB
S230A	Extra package, EU-speciifc
S248A	Steering wheel heater
S2NHA	M Sport brake

	Tekst
S2PAA	Locking wheel bolt
S2TBA	Sport automatic gearbox
S2VBA	Tyre pressure display
S2VCA	Tyre repair set
S302A	Alarm system
S3ACA	Trailer coupling
S420A	Sun protection glazing
S428A	Warning triangle and first aid kit
S430A	Interior/outside mirror with auto dip
S431A	Interior mirror with automatic-dip
S465A	Through-loading system
S481A	Sports seat
S493A	Storage compartment package
S494A	Seat heating driver/passenger
S4KKA	Inter.trim finishers aluminium tetragon
S4NEA	Blow-by heater
S4U9A	Acoustic pedestrian protection
S4URA	Ambient interior light
S534A	Automatic air conditioning
S5A1A	LED Fog lights
S5ACA	High-beam assistant
S5AQA	Active guard plus
S5AUA	Driving assistant professional
S5AZA	BMW Laserlicht
S5DAA	Passenger airbag deactivation
S5DCA	Rear-seat headrests, folding
S5DMA	Parking assistance system
S610A	Head-up display
S654A	DAB tuner
S676A	HiFi speaker system
S6AEA	Teleservices
S6AFA	Statutory emergency call
S6AGA	eDrive services
S6AKA	Connected Drive Services
S6C3A	Connected Package Professional
S6CPA	Smartphone integration
S6NWA	Telephony with wireless charging
S6U3A	BMW Live operating area Professional
S6U8A	BMW gesture control
S710A	M leather steering wheel
S715A	M Aerodynamics package
S754A	M Rear spoiler
S760A	High gloss shadow line
S775A	Headlining anthracite
P7LFA	Modell M Sport
S7M9A	M Shadow Line with expanded scope

	Tekst
S842A	Cold-climate version
S850A	Dummy-SALAPA
S853A	Language version, English
S885A	On-board literature, Swedish
S8KAA	Oil service interval 24 mths / 30,000 km
S8R9A	Refrigerant R1234yf
S8SMA	Car ident. number visible from outside
S8TFA	Active pedestrian protection
S8TGA	Thiefproofing device
S8TRA	Decoding additional functions
S925A	Dummy-SALAPA
S993A	model year code in VIN
S9AAA	Outer skin protection

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	5P98	
Motor	B48X	5,75
Gir	GA8 P75H	8,70
Brems		1,00
Bakaksel		0,80
Påfyllingsmengde for kjølemiddel med klimaanlegg		9,80
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

China: Coolant quantity NT 4.2l, transfer case (0.7 l), front axle transmission (0.45 l), rear axle transmission, automatic transmission: lifetime

Bruk / område	Type	ltr
Typenøkkel	5P98	
Motor	B48X	5,25
Gir	GA8P75H	8,70
Brems		1,00
Bakaksel		0,80
Påfyllingsmengde for kjølemiddel med klimaanlegg		9,80
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Coolant quantity NT 4.2l, transfer case (0.7 l), front axle transmission (0.45 l), rear axle transmission, automatic transmission: lifetime