# Kjøretøy-ID

## Kjøretøydata

| Egenskap | Kjøretøydata |
|---|---|
| Chassisnummer | WBA5C91000D459969 |
| Modellbetegnelse | 5' F10 LCI |
| Produksjonsdato | 02.10.2013 |
| Farge | SPACEGRAU METALLIC (A52) |
| Betegnelse | LEDER DAKOTA/SCHWARZ (LCSW) |
| Drift | AWD |
| Typenøkkel | 5C91 |
| Modell | 525d xDrive |
| Modell | 5 F10 MUE |
| Karosseri | Saloon |
| Styring | L |
| Dører | 4 |
| Motorkode | N47D20T1 |
| Slagvolum | 2,00 |
| Ytelse | 160 |

## Serieutrustning

| | Tekst |
|---|---|
| S1CCA | Auto start/stop function |
| S1CDA | Brake Energy Regeneration |
| S205A | Automatic transmission |
| S2K1A | BMW LA wheel, V spoke 236 |
| S4ATA | Interior trim finishers black high-gloss |
| S4U2A | Driving experience switch incl. ECO PRO |
| S548A | Kilometre speedo |
| S851A | Language version German |

## Særutrustninger

| | Tekst |
|---|---|
| S1CAA | Selection of COP-relevant vehicles |
| S1CBA | CO2 equipment |

| | Tekst |
|---|---|
| S230A | Extra package, EU-speciifc |
| S258A | Tyres with runflat properties |
| S316A | automatic trunk lid mechanism |
| S322A | Comfort access |
| S323A | Soft-Close-Automatic doors |
| S358A | Climate comfort windscreen |
| S403A | Glass roof, electrical |
| S423A | Floor mats velours |
| S428A | Warning triangle and first aid kit |
| S430A | Interior/outside mirror with auto dip |
| S431A | Interior mirror with automatic-dip |
| S456A | Comfort seat with memory |
| S465A | Through-loading system |
| S488A | Lumbar support, driver and passenger |
| S494A | Seat heating driver/passenger |
| S4NBA | Autom. climate control with 4-zone ctrl |
| S4URA | Ambient interior light |
| S502A | Headlight cleaning system |
| S508A | Park Distance Control (PDC) |
| S524A | Adaptive Headlights |
| S536A | Auxiliary heating |
| S575A | Additional 12V sockets |
| S5A1A | LED Fog lights |
| S5ACA | High-beam assistant |
| S5ASA | Driving Assistant |
| S609A | Navigation system Professional |
| S610A | Head-up display |
| S676A | HiFi speaker system |
| S698A | Area-Code 2 for DVD |
| S6ACA | Intelligent emergency call |
| S6AEA | Teleservices |
| S6AKA | Connected Drive Services |
| S6AMA | Real-Time Traffic Information |
| S6ANA | Concierge Services |
| S6APA | Remote Services |
| S6ARA | Internet |
| S6NRA | Apps |
| S6NSA | Comfort telephony w/ enhanced Smartphone |
| S6WAA | Instrument panel with extended scope |
| P7A2A | Innovation pack II |
| P7RSA | Package Comfort |
| P7XPA | Navigation package Connected Drive |
| L801A | National version Germany |
| S879A | On-board literature, German |
| S8KAA | Oil service interval 24 mths / 30,000 km |
| S8TFA | Active pedestrian protection |

| | Tekst |
|---|---|
| S8THA | Road sign detection |
| S8V1A | Information plate |
| S941A | Dummy-SALAPA |
| S9AAA | Outer skin protection |

## Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

| Bruk / område | Type | ltr |
|---|---|---|
| Typenøkkel | 5C91 | |
| Motor | N47S1 | 5,20 |
| Gir | GA8HP-45Z | 8,50 |
| Brems | | 1,00 |
| Bakaksel | | 0,80 |
| Påfyllingsmengde for kjølemiddel med klimaanlegg | | 8,00 |
| Påfyllingsmengde for kjølemiddel uten klimaanlegg | | 0,00 |

Transfer box (0,44 l), final drive (front axel) (0,6 l), Final drive (rear axel), Automatic transmission: lifetime oil filing