

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBAWY310000A82864
Modellbetegnelse	X3 F25
Produksjonsdato	16.01.2013
Farge	BLACK SAPPHIRE METALLIC (475)
Betegnelse	LEDER NEVADA/SCHWARZ (LUSW)
Drift	AWD
Typenøkkel	WY31
Modell	X3 xDrive20d
Modell	X3 F25
Karosseri	SAV
Styring	L
Dører	5
Motorkode	N47D20O1
Slagvolum	2,00
Ytelse	135

Serieutrustning

	Tekst
S4U2A	Driving experience switch incl. ECO PRO
S520A	Fog lights
S548A	Kilometre speedo

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S1CCA	Auto start/stop function
S1CDA	Brake Energy Regeneration
S205A	Automatic transmission
S226A	Sports suspension settings
S230A	Extra package, EU-speciifc
S248A	Steering wheel heater

	Tekst
S249A	Multifunction f steering wheel
S255A	Sports leather steering wheel
S258A	Tyres with runflat properties
S2ECA	BMW LA wheel Y-spoke 308
S2PAA	Locking wheel bolt
S2VGA	Performance Control
S302A	Alarm system
S3ACA	Trailer coupling
S3ATA	Roof rails aluminium satinated
S3XLA	Exterior design equipment X Line
S413A	Luggage compartment net
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S430A	Interior/outside mirror with auto dip
S431A	Interior mirror with automatic-dip
S465A	Through-loading system
S481A	Sports seat
S493A	Storage compartment package
S494A	Seat heating driver/passenger
S496A	Seat heating, rear
S4ADA	Interior trim strips, brushed aluminium
S4NGA	Trims, dashboard, mirror-finish
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S521A	Rain sensor
S522A	Xenon Light
S524A	Adaptive Headlights
S534A	Automatic air conditioning
S544A	Cruise control with brake function
S563A	Light package
S5ACA	High-beam assistant
S5DAA	Passenger airbag deactivation
S606A	Navigation system Business
S612A	BMW Assist
S615A	Extended BMW Online Information
S616A	BMW Online
S633A	Preparation, mobile phone, Business
S654A	DAB tuner
S698A	Area-Code 2 for DVD
S6AAA	BMW TeleServices
S6ABA	Control, Teleservices
S6NLA	Connection Bluetooth + USB devices incl.
S6VCA	Control, Combox
S842A	Cold-climate version
S843A	Power reduction
S853A	Language version, English

	Tekst
S877A	Omission of non-combined operation
S880A	On-board literature, English
S887A	On-board literature, Arabic
S8KAA	Oil service interval 24 mths / 30,000 km
S8S2A	Coding, alarm signal
S8S3A	Automatic locking during starting
S8SCA	Telematics access request, country-spec.
S8SMA	Car ident. number visible from outside
S8TGA	Thiefproofing device
S8TLA	Dummy-SALAPA
S8TNA	Daytime driv.lights adjus.via light menu
S8V1A	Information plate
S925A	Dummy-SALAPA

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	WY31	
Motor	N47N	5,20
Gir	GA8HP-45Z	8,50
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		9,00
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), Automatic transmission: lifetime oil filing

Bruk / område	Type	ltr
Typenøkkel	WY31	
Motor	N47N	5,20
Gir	GS6X-45DZ	1,20
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		8,70
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), manual transmission: lifetime oil filing