

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBAKS210X00H96933
Modellbetegnelse	X5 F15
Produksjonsdato	18.03.2014
Farge	BLACK SAPPHIRE METALLIC (475)
Betegnelse	LEDER DAKOTA/SCHWARZ (LCSW)
Drift	AWD
Typenøkkel	KS21
Modell	X5 xDrive25d
Modell	X5 F15
Karosseri	SAV
Styring	L
Dører	5
Motorkode	N47D20T1
Slagvolum	2,00
Ytelse	160

Serieutrustning

	Tekst
S548A	Kilometre speedo
S851A	Language version German

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S1CBA	CO2 equipment
S230A	Extra package, EU-speciifc
S248A	Steering wheel heater
S258A	Tyres with runflat properties
S2PWA	BMW LA wheel, M double spoke 469
S2TBA	Sport automatic gearbox
S2VFA	Adaptive M chassis

	Tekst
S320A	Deleted, model lettering
P337A	M Sports package
S3ACA	Trailer coupling
S3AGA	Reversing camera
S3DZA	Omission of additional lettering, outer
S3MCA	M roofrailing, Shadow Line
S402A	Panorama glass roof
S413A	Luggage compartment net
S420A	Sun protection glazing
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S441A	Smoker package
S456A	Comfort seat with memory
S488A	Lumbar support, driver and passenger
S494A	Seat heating driver/passenger
S4B9A	Interior trim strips,alum.finishgrinding
S4NCA	Auxiliary heating/ventilation
S4UBA	3rd seat row
S508A	Park Distance Control (PDC)
S534A	Automatic air conditioning
S536A	Auxiliary heating
S563A	Light package
S575A	Additional 12V sockets
S5ASA	Driving Assistant
S5DAA	Passenger airbag deactivation
S609A	Navigation system Professional
S654A	DAB tuner
S676A	HiFi speaker system
S698A	Area-Code 2 for DVD
S6ACA	Intelligent emergency call
S6AEA	Teleservices
S6AKA	Connected Drive Services
S6AMA	Real-Time Traffic Information
S6ANA	Concierge Services
S6APA	Remote Services
S6NRA	Apps
S6NSA	Comfort telephony w/ enhanced Smartphone
S710A	M leather steering wheel
S715A	M Aerodynamics package
S760A	High gloss shadow line
S775A	Headlining anthracite
P7XPA	Navigation package Connected Drive
L801A	National version Germany
S879A	On-board literature, German
S8KAA	Oil service interval 24 mths / 30,000 km
S8S6A	Prespecified for export

	Tekst
S8TFA	Active pedestrian protection
S8V1A	Information plate
S925A	Dummy-SALAPA

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	litr
Typenøkkel	KS21	
Motor	N47S1	5,20
Gir	GA8HP-45Z	8,50
Brems		1,00
Bakaksel		0,80
Påfyllingsmengde for kjølemiddel med klimaanlegg		12,60
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), Automatic transmission: lifetime oil filing