

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBALL31060E989023
Modellbetegnelse	Z4 E89
Produksjonsdato	03.05.2013
Farge	MINERALWEISS METALLIC (A96)
Betegnelse	ERW. LEDER KANSAS/SCHWARZ (PASW)
Drift	RWD
Typenøkkel	LL31
Modell	Z4 sDrive20i
Modell	Z4 E89
Karosseri	Roadster
Styring	L
Dører	2
Motorkode	N20B20U0
Slagvolum	2,00
Ytelse	135

Serieutrustning

	Tekst
S1CBA	CO2 equipment
S1CDA	Brake Energy Regeneration
S548A	Kilometre speedo

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S216A	Hydro steering-servotronic
S230A	Extra package, EU-speciifc
S248A	Steering wheel heater
S249A	Multifunction f steering wheel
S2MVA	BMW LA wheel, M double spoke 326
S2PAA	Locking wheel bolt

	Tekst
S2TBA	Sport automatic gearbox
S2VFA	Adaptive M chassis
S322A	Comfort access
P337A	M Sports package
S387A	Wind deflector
S3APA	Windscreen with grey wedge
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S430A	Interior/outside mirror with auto dip
S431A	Interior mirror with automatic-dip
S470A	Isofix-System
S481A	Sports seat
S493A	Storage compartment package
S494A	Seat heating driver/passenger
S4ADA	Interior trim strips, brushed aluminium
S4NEA	Blow-by heater
S4UTA	Throughload opening w/int. transport bag
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S521A	Rain sensor
S534A	Automatic air conditioning
S544A	Cruise control with brake function
S563A	Light package
S609A	Navigation system Professional
S614A	Internet preparation
S620A	Voice control
S654A	DAB tuner
S677A	HiFi system Professional DSP
S698A	Area-Code 2 for DVD
S6ALA	BMW Live
S6NRA	Apps
S6NSA	Comfort telephony w/ enhanced Smartphone
S6UHA	Traffic Information
S715A	M Aerodynamics package
S775A	Headlining anthracite
S7XAA	M leather st.wheel+shiftpaddle+multif.
S850A	Dummy-SALAPA
S853A	Language version, English
S885A	On-board literature, Swedish
S8KAA	Oil service interval 24 mths / 30,000 km
S8SMA	Car ident. number visible from outside
S8SPA	Control unit COP
S8TFA	Active pedestrian protection

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	LL31	
Motor	N20	5,00
Gir	GA8HP-45Z	8,50
Brems		1,00
Bakaksel		1,00
Påfyllingsmengde for kjølemiddel med klimaanlegg		8,50
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Final drive (rear axel), Automatic transmission: lifetime oil filing

Bruk / område	Type	ltr
Typenøkkel	LL31	
Motor	N20	5,00
Gir	GS6-17BG	1,30
Brems		1,00
Bakaksel		1,00
Påfyllingsmengde for kjølemiddel med klimaanlegg		8,20
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Final drive (rear axel), manual transmission: lifetime oil filing