partslink24®

Kjøretøy-ID

Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBAHT9108J3E99062
Modellbetegnelse	X1 F48
Produksjonsdato	08.12.2017
Farge	BLACK SAPPHIRE METALLIC (475)
Betegnelse	LED.DAKOTA M.PERFORIERUNG SCHWARZ (PDSW)
Drift	AWD
Typenøkkel	HT91
Modell	X1 xDrive18d
Modell	X1 F48
Karosseri	SAV
Styring	L
Dører	5
Motorkode	B47C20U0
Slagvolum	2,00
Ytelse	110

Serieutrustning

	Tekst
S2VGA	Performance Control
S493A	Storage compartment package
S548A	Kilometre speedo

Særutrustninger

	Tekst
S1AGA	Larger fuel tank
S1CAA	Selection of COP-relevant vehicles
S1CBA	CO2 equipment
S205A	Automatic transmission
S230A	Extra package, EU-speciifc
S248A	Steering wheel heater
S249A	Multifunction f steering wheel

	Tekst
S24EA	BMW LA wheel, double spoke 568
S2PAA	Locking wheel bolt
S2VBA	Tyre pressure display
S2VCA	Tyre repair set
S302A	Alarm system
S316A	automatic trunk lid mechanism
S3AAA	Roof railing black
S3AGA	Reversing camera
S420A	Sun protection glazing
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S431A	Interior mirror with automatic-dip
S470A	Isofix-System
S473A	Armrest front
S481A	Sports seat
S488A	Lumbar support, driver and passenger
S494A	Seat heating driver/passenger
S4FDA	Seat adjustment for rear seats
S4LUA	black high-gloss accent chrm. Perlglanz
S502A	Headlight cleaning system
S507A	Park Distance Control (PDC), rear
S534A	Automatic air conditioning
S544A	Cruise control with brake function
S563A	Light package
S5A4A	LED headlight with extended scopes
S5AVA	Active Guard
S650A	CD drive
S654A	DAB tuner
S674A	Hi-Fi system Harman Kardon
S698A	Area-Code 2 for DVD
S6ACA	Intelligent emergency call
S6AEA	Teleservices
S6AKA	Connected Drive Services
S6UNA	Navigation
S710A	M leather steering wheel
P7ACA	Sport Line
P7LDA	Modell Sport Line
S7UGA	BMW Service Inclusive
S842A	Cold-climate version
S850A	Dummy-SALAPA
S877A	Omission of non-combined operation
S8A7A	Language version Norwegian
S8AWA	On-board literature, Norwegian
S8KAA	Oil service interval 24 mths / 30,000 km
S8R9A	Refrigerant R1234yf
S8SMA	Car ident. number visible from outside

	Tekst
S8TFA	Active pedestrian protection
S8TGA	Thiefproofing device
S993A	model year code in VIN
S9AAA	Outer skin protection

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	HT91	
Motor	B47	5,00
Gir	GA8F22AW	7,00
Brems		1,00
Bakaksel		0,52
Påfyllingsmengde for kjølemiddel med klimaanlegg		6,90
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer case (0.4 l), rear axle drive (0.52 l), HOK rear axle drive clutch (0.52 l) Automatic transmission: Lifetime filling

Bruk / område	Type	ltr
Typenøkkel	HT91	
Motor	B47	5,00
Gir	GS6X-60DA	2,20
Brems		1,00
Bakaksel		0,52
Påfyllingsmengde for kjølemiddel med klimaanlegg		6,70
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer case (0.4 l), rear axle drive (0.52 l), HOK rear axle drive clutch (0.52 l) Manual transmission: Lifetime filling