

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WMWYU7108J3E32334
Modellbetegnelse	MINI Countryman F60
Produksjonsdato	17.11.2017
Farge	ISLAND BLUE METALLIC (C2M)
Betegnelse	STOFF-/LEDER-CORD/CARBON BLACK (CXE1)
Drift	AWD
Typenøkkel	YU71
Modell	Cooper S E ALL4
Modell	MI F60
Karosseri	Countryman
Styring	L
Dører	5
Motorkode	XB2131M0
Slagvolum	0,00
Ytelse	165

Serieutrustning

	Tekst
S205A	Automatic transmission
S255A	Sports leather steering wheel
S2VGA	Performance Control
S4C1A	Colour Line Carbon Black
S4EPA	Interior surface Hazy Grey
S4VAA	MINI Driving Modes
S548A	Kilometre speedo
S5AAA	Rear fog light
S6FPA	Radio MINI Visual Boost

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles

	Tekst
S1CBA	CO2 equipment
S230A	Extra package, EU-speciifc
S249A	Multifunction f steering wheel
S2PAA	Locking wheel bolt
S2QEA	MINI LA wheel pair spoke
S2VBA	Tyre pressure display
S2VCA	Tyre repair set
S316A	automatic trunk lid mechanism
S322A	Comfort access
S382A	Roof and mirror caps, white
S386A	Roof railing
S3AGA	Reversing camera
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S450A	Height adjustment, passenger seat
S470A	Isofix-System
S473A	Armrest front
S481A	Sports seat
S493A	Storage compartment package
S494A	Seat heating driver/passenger
S4NEA	Blow-by heater
S4V9A	MINI Excitement package
S508A	Park Distance Control (PDC)
S534A	Automatic air conditioning
S544A	Cruise control with brake function
S563A	Light package
S5A1A	LED Fog lights
S5A4A	LED headlight with extended scopes
S5AVA	Active Guard
S5DPA	Park Assist
S654A	DAB tuner
S6ACA	Intelligent emergency call
S6AEA	Teleservices
S6NMA	MINI Connected
S6UHA	Traffic Information
S6UMA	MINI navigation system
P7Y2A	Chili II
S842A	Cold-climate version
S850A	Dummy-SALAPA
S8A7A	Language version Norwegian
S8AWA	On-board literature, Norwegian
S8KAA	Oil service interval 24 mths / 30,000 km
S8R9A	Refrigerant R1234yf
S8SMA	Car ident. number visible from outside
S8TFA	Active pedestrian protection
S8TGA	Thiefproofing device

	Tekst
S993A	model year code in VIN
S9AAA	Outer skin protection

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	litr
Typenøkkel	YU71	
Motor	B38X	4,25
Gir	GA6F21AW	5,50
Brems		1,00
Bakaksel		0,00
Påfyllingsmengde for kjølemiddel med klimaanlegg		7,60
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer case (0.4 l), rear axle drive (0.52 l), HOK rear axle drive clutch (0.52 l) Automatic transmission: Lifetime filling