

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBAKS410900C39121
Modellbetegnelse	X5 F15
Produksjonsdato	10.01.2014
Farge	CARBONSCHWARZ METALLIC (416)
Betegnelse	LEDER DAKOTA/SCHWARZ (LCSW)
Drift	AWD
Typenøkkel	KS41
Modell	X5 xDrive30d
Modell	X5 F15
Karosseri	SAV
Styring	L
Dører	5
Motorkode	N57D3001
Slagvolum	3,00
Ytelse	190

Serieutrustning

	Tekst
S548A	Kilometre speedo
S851A	Language version German

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S1CBA	CO2 equipment
S230A	Extra package, EU-speciifc
S258A	Tyres with runflat properties
S2PVA	BMW LA wheel, M double spoke 467
S2TBA	Sport automatic gearbox
S2VFA	Adaptive M chassis
S322A	Comfort access

	Tekst
S323A	Soft-Close-Automatic doors
P337A	M Sports package
S3AGA	Reversing camera
S3MCA	M roofrailing, Shadow Line
S402A	Panorama glass roof
S413A	Luggage compartment net
S420A	Sun protection glazing
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S430A	Interior/outside mirror with auto dip
S456A	Comfort seat with memory
S488A	Lumbar support, driver and passenger
S494A	Seat heating driver/passenger
S4CVA	Fine wood trim oak
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S534A	Automatic air conditioning
S552A	Adaptive LED headlight
S563A	Light package
S575A	Additional 12V sockets
S5A1A	LED Fog lights
S5ACA	High-beam assistant
S5AGA	Lane change warning
S5ASA	Driving Assistant
S5DAA	Passenger airbag deactivation
S609A	Navigation system Professional
S610A	Head-up display
S676A	HiFi speaker system
S698A	Area-Code 2 for DVD
S6ACA	Intelligent emergency call
S6AEA	Teleservices
S6AKA	Connected Drive Services
S6AMA	Real-Time Traffic Information
S6ANA	Concierge Services
S6APA	Remote Services
S6NRA	Apps
S6NSA	Comfort telephony w/ enhanced Smartphone
S710A	M leather steering wheel
S715A	M Aerodynamics package
S760A	High gloss shadow line
S775A	Headlining anthracite
S879A	On-board literature, German
S8KAA	Oil service interval 24 mths / 30,000 km
S8TFA	Active pedestrian protection
S8THA	Road sign detection
S8V1A	Information plate

Tekst

S925A

Dummy-SALAPA

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	litr
Typenøkkel	KS41	
Motor	N57N	6,50
Gir	GA8HP-70Z	8,50
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		12,60
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), Automatic transmission: lifetime oil filing