Kjøretøy-ID

Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBY21CF03NCJ85485
Modellbetegnelse	iX I20
Produksjonsdato	12.01.2022
Farge	BLACK SAPPHIRE METALLIC (475)
Betegnelse	INTERIEURDESIGN SUITE AMIDO (SCHA)
Markedspesifikk salgsbetegnelse	iX xDrive50
Drift	AWD
Typenøkkel	21CF
Modell	iX xDrive50
Modell	IX I20
Karosseri	SAV
Styring	L
Dører	5
Motorkode	XE2A01N0
Slagvolum	0,00
Ytelse	385

Serieutrustning

	Tekst
S548A	Kilometre speedo
S5ACA	High-beam assistant
S5AQA	Active guard plus

Særutrustninger

	Tekst
S1LHA	BMW light-alloy wheel aerodynamic 1011
S230A	Extra package, EU-speciifc
S2PAA	Locking wheel bolt
S2VBA	Tyre pressure display
S2VCA	Tyre repair set
S2VHA	Integral active front steering

	Tekst
S2VRA	Two-axle air suspension
S322A	Comfort access
P330A	Sports package
S3ACA	Trailer coupling
S407A	Sky Lounge panoramic glass sunroof
S413A	Luggage compartment net
S420A	Sun protection glazing
S428A	Warning triangle and first aid kit
S42AA	Interior applications Clear&Bold
S48ZA	DEL.FR.PASS.LUMBAR SUPP./FR.PASS.BWA.
S4AAA	Headlining anthracite
S4FMA	Multifunction seat driver & fr.passenger
S4HCA	Heat comfort package
S4NBA	Autom. climate control with 4-zone ctrl
S4U9A	Acoustic pedestrian protection
S4V1A	BMW ICONICSOUNDS ELECTRIC
S5AUA	Driving assistant professional
S5AVA	Active Guard
S5AZA	BMW Laserlicht
S5DNA	Parking assistance system Plus
S654A	DAB tuner
S688A	Harman/Kardon surround sound system
S6AEA	Teleservices
S6AFA	Statutory emergency call
S6AKA	Connected Drive Services
S6AUA	Connected eDrive services
S6C3A	Connected Package Professional
S6NXA	Storage tray wireless charging
S6U3A	BMW Live operating area Professional
S6U7A	BMW Natural Interaction
S8A7A	Language version Norwegian
S8AWA	On-board literature, Norwegian
S8R9A	Refrigerant R1234yf
S8SMA	Car ident. number visible from outside
S8TFA	Active pedestrian protection
S8TGA	Thiefproofing device
S993A	model year code in VIN
S9AAA	Outer skin protection
S9T8A	SPECIFIC ADDITIONAL EQPT.SPORT PACKAGE

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	21CF	

Motor	XE2	0,00
Gir	G	0,00
Brems		2,00
Bakaksel		0,00
Påfyllingsmengde for kjølemiddel med klimaanlegg		25,00
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00