partslink24®

Kjøretøy-ID

VEILEDNING

VEILEDNING
Important: Electrified vehicle (high
voltage)! This vehicle is equipped
with high voltage components.
Separate components of the high-voltage
system are only allowed to be renewed
or repaired by appropriately qualified
personnel. Before ordering these
components check to determine whether
your own business premises comply with
these prerequisites.

Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBAKT0103G0S42092
Modellbetegnelse	X5 F15
Produksjonsdato	29.11.2015
Farge	BLACK SAPPHIRE METALLIC (475)
Betegnelse	LEDER DAKOTA/SCHWARZ (LCSW)
Drift	AWD
Typenøkkel	KT01
Modell	X5 xDrive40e iPerformance
Modell	X5 F15
Karosseri	SAV
Styring	L
Dører	5
Motorkode	N20B20O0
Slagvolum	2,00
Ytelse	230

Serieutrustning

	Tekst
S548A	Kilometre speedo

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S1CBA	CO2 equipment
S230A	Extra package, EU-speciifc
S248A	Steering wheel heater
S258A	Tyres with runflat properties
S2PAA	Locking wheel bolt
S2PWA	BMW LA wheel, M double spoke 469
S2TEA	Automatic transmission w/ shift paddles
S2VBA	Tyre pressure display
S2VFA	Adaptive M chassis
S322A	Comfort access
P337A	M Sports package
S3ACA	Trailer coupling
S3AGA	Reversing camera
S3ATA	Roof rails aluminium satinated
S3DZA	Omission of additional lettering, outer
S3MBA	Indiv. Ext. Line, burnished aluminium
S402A	Panorama glass roof
S413A	Luggage compartment net
S417A	Roller sun visor, rear door
S420A	Sun protection glazing
S428A	Warning triangle and first aid kit
S430A	Interior/outside mirror with auto dip
S456A	Comfort seat with memory
S488A	Lumbar support, driver and passenger
S493A	Storage compartment package
S494A	Seat heating driver/passenger
S496A	Seat heating, rear
S4B9A	Interior trim strips,alum.finishgrinding
S4NBA	Autom. climate control with 4-zone ctrl
S4NEA	Blow-by heater
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S552A	Adaptive LED headlight
S563A	Light package
S575A	Additional 12V sockets
S5A1A	LED Fog lights
S5ACA	High-beam assistant
S5AGA	Lane change warning
S5ALA	Active Protection
S5ARA	Traffic jam assistant

	Tekst
S5ATA	Driving Assistant Plus
S5DAA	Passenger airbag deactivation
S609A	Navigation system Professional
S610A	Head-up display
S654A	DAB tuner
S688A	Harman/Kardon surround sound system
S698A	Area-Code 2 for DVD
S6ACA	Intelligent emergency call
S6AEA	Teleservices
S6AGA	eDrive services
S6NSA	Comfort telephony w/ enhanced Smartphone
S6UHA	Traffic Information
S710A	M leather steering wheel
S715A	M Aerodynamics package
S775A	Headlining anthracite
S7AQA	Battery Certificate
S842A	Cold-climate version
S843A	Power reduction
S8A7A	Language version Norwegian
S8AWA	On-board literature, Norwegian
S8KAA	Oil service interval 24 mths / 30,000 km
S8SMA	Car ident. number visible from outside
S8TFA	Active pedestrian protection
S8TGA	Thiefproofing device
S8THA	Road sign detection
S8V1A	Information plate
S925A	Dummy-SALAPA
S993A	model year code in VIN
S9AAA	Outer skin protection

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	KT01	
Motor	N20	4,75
Gir	GA8P75H	8,00
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		14,50
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), Automatic transmission: lifetime oil filing