

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBAKU610000N49788
Modellbetegnelse	X6 F16
Produksjonsdato	28.07.2015
Farge	ALPINWEISS III (300)
Betegnelse	LEDER DAKOTA/D1 KORALLROT (LCD1)
Drift	AWD
Typenøkkel	KU61
Modell	X6 xDrive50i
Modell	X6 F16
Karosseri	SAC
Styring	L
Dører	5
Motorkode	N63B44O1
Slagvolum	4,40
Ytelse	330

Serieutrustning

	Tekst
S534A	Automatic air conditioning
S548A	Kilometre speedo

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S230A	Extra package, EU-speciifc
S2PWA	BMW LA wheel, M double spoke 469
S2VBA	Tyre pressure display
S2VFA	Adaptive M chassis
S302A	Alarm system
P337A	M Sports package
S3AGA	Reversing camera

	Tekst
S403A	Glass roof, electrical
S420A	Sun protection glazing
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S430A	Interior/outside mirror with auto dip
S441A	Smoker package
S456A	Comfort seat with memory
S488A	Lumbar support, driver and passenger
S493A	Storage compartment package
S4MRA	Interior trim strips, alum. hexagon
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S552A	Adaptive LED headlight
S563A	Light package
S575A	Additional 12V sockets
P5A3A	BMW Night Vision with Dynamic Light
S5ACA	High-beam assistant
S5ASA	Driving Assistant
S5DLA	Surround View
S609A	Navigation system Professional
S610A	Head-up display
S688A	Harman/Kardon surround sound system
S698A	Area-Code 2 for DVD
S6FHA	Rear-cabin entertainment, Professional
S6UKA	Night Vision with person recognition
S6WBA	Multifunctional instrument display
S710A	M leather steering wheel
S715A	M Aerodynamics package
S760A	High gloss shadow line
S775A	Headlining anthracite
S853A	Language version, English
S877A	Omission of non-combined operation
S880A	On-board literature, English
S8KAA	Oil service interval 24 mths / 30,000 km
S8TFA	Active pedestrian protection
S8V1A	Information plate
S925A	Dummy-SALAPA
S9AAA	Outer skin protection

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	litr
Typenøkkel	KU61	
Motor	N63N	9,50

Gir	GA8HP-75Z	8,70
Brems		1,00
Bakaksel		2,12
Påfyllingsmengde for kjølemiddel med klimaanlegg		14,90
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00
Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), Automatic transmission: lifetime oil filing		