

## Kjøretøy-ID



## Kjøretøydata

| Egenskap         | Kjøretøydata                |
|------------------|-----------------------------|
| Chassisnummer    | WBAYE81040D146697           |
| Modellbetegnelse | 7' F02 LCI                  |
| Produksjonsdato  | 29.04.2014                  |
| Farge            | MINERALWEISS METALLIC (A96) |
| Betegnelse       | LEDER DAKOTA/SCHWARZ (LCSW) |
| Drift            | RWD                         |
| Typenøkkel       | YE81                        |
| Modell           | 750Li                       |
| Modell           | 7 F02 MUE                   |
| Karosseri        | Saloon                      |
| Styring          | L                           |
| Dører            | 4                           |
| Motorkode        | N63B44O1                    |
| Slagvolum        | 4,40                        |
| Ytelse           | 330                         |

## Serieutrustning

|       | Tekst                                   |
|-------|-----------------------------------------|
| S1CCA | Auto start/stop function                |
| S1CDA | Brake Energy Regeneration               |
| S415A | Sun-blind, rear                         |
| S423A | Floor mats velours                      |
| S430A | Interior/outside mirror with auto dip   |
| S4U2A | Driving experience switch incl. ECO PRO |
| S548A | Kilometre speedo                        |

## Særutrustninger

|       | Tekst                                   |
|-------|-----------------------------------------|
| S1CAA | Selection of COP-relevant vehicles      |
| S212A | Equipment, brake syst. country-specific |
| S2STA | BMW LA wheel, multispoke 235            |

|       | Tekst                                    |
|-------|------------------------------------------|
| S2VHA | Integral active front steering           |
| S302A | Alarm system                             |
| S316A | automatic trunk lid mechanism            |
| S322A | Comfort access                           |
| S323A | Soft-Close-Automatic doors               |
| S3AGA | Reversing camera                         |
| S403A | Glass roof, electrical                   |
| S416A | Roller sun visor, rear lateral           |
| S428A | Warning triangle and first aid kit       |
| S441A | Smoker package                           |
| S453A | Climate-controlled seats, front          |
| S454A | Climate-controlled seats, rear           |
| S456A | Comfort seat with memory                 |
| S460A | Comfort seat, rear, electr.adjustable    |
| S488A | Lumbar support, driver and passenger     |
| S494A | Seat heating driver/passenger            |
| S496A | Seat heating, rear                       |
| S4CAA | High-gr.wood vers.,varieg.ash anthracite |
| S4NBA | Autom. climate control with 4-zone ctrl  |
| S4URA | Ambient interior light                   |
| S508A | Park Distance Control (PDC)              |
| S552A | Adaptive LED headlight                   |
| S5A1A | LED Fog lights                           |
| S5AGA | Lane change warning                      |
| S5ATA | Driving Assistant Plus                   |
| S5DLA | Surround View                            |
| S601A | TV function                              |
| S609A | Navigation system Professional           |
| S610A | Head-up display                          |
| S688A | Harman/Kardon surround sound system      |
| S698A | Area-Code 2 for DVD                      |
| S6ACA | Intelligent emergency call               |
| S6AEA | Teleservices                             |
| S6FRA | Fond Entertainment Experience            |
| S6NSA | Comfort telephony w/ enhanced Smartphone |
| S6WBA | Multifunctional instrument display       |
| S7CGA | BMW Repair Inclusive                     |
| L807A | National version Japan                   |
| S845A | Acoustic fasten seat belt reminder       |
| S852A | Language version Japanese                |
| S876A | Radio frequency 315 MHz                  |
| S8KAA | Oil service interval 24 mths / 30,000 km |
| S8S1A | Decoding, daytime running lamps          |
| S8S3A | Automatic locking during starting        |
| S8SXA | Providersteuerung Telematik              |
| S8TFA | Active pedestrian protection             |

|       | Tekst                              |
|-------|------------------------------------|
| S8TMA | Dummy-SALAPA                       |
| S925A | Dummy-SALAPA                       |
| S992A | Control of number-plate attachment |
| S9AAA | Outer skin protection              |

## Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

| Bruk / område                                                        | Type      | litr  |
|----------------------------------------------------------------------|-----------|-------|
| Typenøkkel                                                           | YE81      |       |
| Motor                                                                | N63N      | 9,50  |
| Gir                                                                  | GA8HP-70Z | 8,50  |
| Brems                                                                |           | 1,00  |
| Bakaksel                                                             |           | 0,90  |
| Påfyllingsmengde for kjølemiddel med klimaanlegg                     |           | 12,60 |
| Påfyllingsmengde for kjølemiddel uten klimaanlegg                    |           | 0,00  |
| Final drive (rear axel), Automatic transmission: lifetime oil filing |           |       |