

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBA5G11010D177846
Modellbetegnelse	5' F11 LCI
Produksjonsdato	15.10.2013
Farge	BLACK SAPPHIRE METALLIC (475)
Betegnelse	LEDER DAKOTA/SCHWARZ (LCSW)
Drift	RWD
Typenøkkel	5G11
Modell	520i
Modell	5 F11 MUE
Karosseri	Touring
Styring	L
Dører	5
Motorkode	N20B20U0
Slagvolum	2,00
Ytelse	135

Serieutrustning

	Tekst
S1CCA	Auto start/stop function
S1CDA	Brake Energy Regeneration
S4U2A	Driving experience switch incl. ECO PRO
S548A	Kilometre speedo
S851A	Language version German

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S1CBA	CO2 equipment
S205A	Automatic transmission
S223A	Electronic Damper Control (EDC)
S230A	Extra package, EU-speciifc

	Tekst
S258A	Tyres with runflat properties
S302A	Alarm system
S316A	automatic trunk lid mechanism
S322A	Comfort access
S386A	Roof railing
S3ACA	Trailer coupling
S402A	Panorama glass roof
S417A	Roller sun visor, rear door
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S430A	Interior/outside mirror with auto dip
S431A	Interior mirror with automatic-dip
S441A	Smoker package
S481A	Sports seat
S488A	Lumbar support, driver and passenger
S494A	Seat heating driver/passenger
S4B9A	Interior trim strips,alum.finishgrinding
S4NBA	Autom. climate control with 4-zone ctrl
S4NEA	Blow-by heater
S4URA	Ambient interior light
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S536A	Auxiliary heating
S575A	Additional 12V sockets
S5A1A	LED Fog lights
S5DFA	Active cruise control+stop&go function
S609A	Navigation system Professional
S676A	HiFi speaker system
S698A	Area-Code 2 for DVD
S6ACA	Intelligent emergency call
S6AEA	Teleservices
S6AKA	Connected Drive Services
S6AMA	Real-Time Traffic Information
S6ANA	Concierge Services
S6APA	Remote Services
S6NRA	Apps
S6NSA	Comfort telephony w/ enhanced Smartphone
S6WAA	Instrument panel with extended scope
P7RSA	Package Comfort
P7XPA	Navigation package Connected Drive
L801A	National version Germany
S879A	On-board literature, German
S8KAA	Oil service interval 24 mths / 30,000 km
S8TFA	Active pedestrian protection
S8THA	Road sign detection
S8V1A	Information plate

Tekst

S931A

Winter instead of summer tyres ex-fact.

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	5G11	
Motor	N20	5,00
Gir	GA8HP-45Z	8,50
Brems		1,00
Bakaksel		0,80
Påfyllingsmengde for kjølemiddel med klimaanlegg		9,90
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Final drive (rear axel), Automatic transmission: lifetime oil filing

Bruk / område	Type	ltr
Typenøkkel	5G11	
Motor	N20	5,00
Gir	GS6-17BG	1,30
Brems		1,00
Bakaksel		0,80
Påfyllingsmengde for kjølemiddel med klimaanlegg		9,10
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Final drive (rear axel), manual transmission: lifetime oil filing