

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBA1C71060J045616
Modellbetegnelse	1' F20
Produksjonsdato	03.07.2013
Farge	MINERALGRAU METALLIC (B39)
Betegnelse	STOFF TRACK/ANTHRAZIT/AKZENT ROT (BEL2)
Drift	RWD
Typenøkkel	1C71
Modell	116d
Modell	1 F20
Karosseri	5 doors
Styring	L
Dører	5
Motorkode	N47D20K1
Slagvolum	2,00
Ytelse	85

Serieutrustning

	Tekst
S1CBA	CO2 equipment
S548A	Kilometre speedo

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S205A	Automatic transmission
S230A	Extra package, EU-speciifc
S235A	Towing hitch, detachable
S249A	Multifunction f steering wheel
S255A	Sports leather steering wheel
S258A	Tyres with runflat properties
S2DTA	BMW LA wheel, star spoke 379

	Tekst
S2PAA	Locking wheel bolt
S322A	Comfort access
S420A	Sun protection glazing
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S431A	Interior mirror with automatic-dip
S481A	Sports seat
S493A	Storage compartment package
S494A	Seat heating driver/passenger
S4AEA	Armrest front, retractable
S4ATA	Interior trim finishers black high-gloss
S4DNA	Accent strips, korall-rot matt
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S520A	Fog lights
S521A	Rain sensor
S522A	Xenon Light
S534A	Automatic air conditioning
S544A	Cruise control with brake function
S563A	Light package
S5DAA	Passenger airbag deactivation
S5DCA	Rear-seat headrests, folding
S609A	Navigation system Professional
S654A	DAB tuner
S676A	HiFi speaker system
S698A	Area-Code 2 for DVD
S6ACA	Intelligent emergency call
S6AEA	Teleservices
S6AKA	Connected Drive Services
S6NRA	Apps
S6NSA	Comfort telephony w/ enhanced Smartphone
S6UHA	Traffic Information
S6WAA	Instrument panel with extended scope
S775A	Headlining anthracite
P7ACA	Sport Line
S842A	Cold-climate version
S850A	Dummy-SALAPA
S853A	Language version, English
S885A	On-board literature, Swedish
S8KAA	Oil service interval 24 mths / 30,000 km
S8SMA	Car ident. number visible from outside
S8TGA	Thiefproofing device
S8V1A	Information plate

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	1C71	
Motor	N47N	5,20
Gir	GA8HP-45Z	8,50
Brems		1,00
Bakaksel		0,80
Påfyllingsmengde for kjølemiddel med klimaanlegg		7,00
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Final drive (rear axel), Automatic transmission: lifetime oil filing

Bruk / område	Type	ltr
Typenøkkel	1C71	
Motor	N47N	5,20
Gir	GS6-17DG	1,30
Brems		1,00
Bakaksel		0,75
Påfyllingsmengde for kjølemiddel med klimaanlegg		7,00
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Final drive (rear axel), manual transmission: lifetime oil filing