

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBAWX31070L909354
Modellbetegnelse	X3 F25
Produksjonsdato	25.10.2012
Farge	BLACK SAPPHIRE METALLIC (475)
Betegnelse	LEDER NEVADA/SCHWARZ (LUSW)
Drift	AWD
Typenøkkel	WX31
Modell	X3 xDrive20i
Modell	X3 F25
Karosseri	SAV
Styring	L
Dører	5
Motorkode	N20B20U0
Slagvolum	2,00
Ytelse	135

Serieutrustning

	Tekst
S4U2A	Driving experience switch incl. ECO PRO
S520A	Fog lights
S548A	Kilometre speedo

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S1CCA	Auto start/stop function
S1CDA	Brake Energy Regeneration
S205A	Automatic transmission
S216A	Hydro steering-servotronic
S225A	Standard suspension
S230A	Extra package, EU-speciifc

	Tekst
S248A	Steering wheel heater
S249A	Multifunction f steering wheel
S258A	Tyres with runflat properties
S2NEA	BMW LA wheel, M double spoke 369
S2PAA	Locking wheel bolt
S2VGA	Performance Control
S316A	automatic trunk lid mechanism
P337A	M Sports package
S3ACA	Trailer coupling
S3ATA	Roof rails aluminium satinated
S3MBA	Indiv. Ext. Line, burnished aluminium
S402A	Panorama glass roof
S413A	Luggage compartment net
S420A	Sun protection glazing
S428A	Warning triangle and first aid kit
S431A	Interior mirror with automatic-dip
S465A	Through-loading system
S481A	Sports seat
S493A	Storage compartment package
S494A	Seat heating driver/passenger
S4ADA	Interior trim strips, brushed aluminium
S4NEA	Blow-by heater
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S521A	Rain sensor
S522A	Xenon Light
S534A	Automatic air conditioning
S544A	Cruise control with brake function
S563A	Light package
S5DAA	Passenger airbag deactivation
S609A	Navigation system Professional
S654A	DAB tuner
S676A	HiFi speaker system
S698A	Area-Code 2 for DVD
S6NFA	Music interface for Smartphone
S6NKA	Connection, Bluetooth and USB devices
S6UHA	Traffic Information
S6VAA	CIC assignment
S6VCA	Control, Combox
S710A	M leather steering wheel
S715A	M Aerodynamics package
S775A	Headlining anthracite
S842A	Cold-climate version
S853A	Language version, English
S885A	On-board literature, Swedish
S8KAA	Oil service interval 24 mths / 30,000 km

	Tekst
S8SMA	Car ident. number visible from outside
S8TGA	Thiefproofing device
S8THA	Road sign detection
S8TNA	Daytime driv.lights adjus.via light menu
S8V2A	Information plate
S925A	Dummy-SALAPA

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	WX31	
Motor	N20	4,80
Gir	GA8HP-45Z	8,50
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		7,50
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), Automatic transmission: lifetime oil filing

Bruk / område	Type	ltr
Typenøkkel	WX31	
Motor	N20	4,80
Gir	GS6X-45BZ	1,20
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		7,50
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), manual transmission: lifetime oil filing